

# Integrating metabolomics and genomics

Pernille Sarup, A. Pedersen, O. F. christensen, T. Ostersen , P. Sørensen, J. Jensen

# Integrating metabolomics and genomics

## Data

681 D(YL) pigs

Genotypes

NMR – metabolomics on blood sample

Total feed intake

# Integrating metabolomics and genomics

Models

**GBLUP**

$$\mathbf{y} = \mathbf{X}\mathbf{b} + \mathbf{Z}_p\mathbf{p} + \mathbf{Z}_l\mathbf{l} + \mathbf{Z}_g\mathbf{g} + \mathbf{e}$$

$$\mathbf{g} \sim N(0, \mathbf{G}\sigma_g^2)$$

$$\mathbf{G} = (\mathbf{W}\mathbf{W}'/n)$$

Cross validation design: Half sip family

# Integrating metabolomics and genomics

Models

**GBLUP**

$$\mathbf{y} = \mathbf{X}\mathbf{b} + \mathbf{Z}_p\mathbf{p} + \mathbf{Z}_l\mathbf{l} + \mathbf{Z}_g\mathbf{g} + \mathbf{e}$$

**MBLUP**

$$\mathbf{y} = \mathbf{X}\mathbf{b} + \mathbf{Z}_p\mathbf{p} + \mathbf{Z}_l\mathbf{l} + \mathbf{Z}_m\mathbf{m} + \mathbf{e}$$

$$\mathbf{m} \sim N(0, \mathbf{M}\sigma_m^2)$$

$$\mathbf{M} = (\mathbf{X}\mathbf{X}'/n)$$

Cross validation design: Half sip family

# Integrating metabolomics and genomics

Models

**GBLUP**

$$\mathbf{y} = \mathbf{Xb} + \mathbf{Z}_p\mathbf{p} + \mathbf{Z}_l\mathbf{l} + \mathbf{Z}_g\mathbf{g} + \mathbf{e}$$

**MBLUP**


$$\mathbf{y} = \mathbf{Xb} + \mathbf{Z}_p\mathbf{p} + \mathbf{Z}_l\mathbf{l} + \mathbf{Z}_m\mathbf{m} + \mathbf{e}$$

**GMBLUP**

$$\mathbf{y} = \mathbf{Xb} + \mathbf{Z}_p\mathbf{p} + \mathbf{Z}_l\mathbf{l} + \mathbf{Z}_m\mathbf{m} + \mathbf{Z}_g\mathbf{g} + \mathbf{e}$$

Cross validation design: Half sib family

# Integrating metabolomics and genomics



Higher prediction ability of MBLUP and GMBLUP models!

2300 additional NMR samples being analysed

ETA end of 2017!